



Water Soluble Powder

CalMox

Let's Care Animals!





SNAM PHARMA 61-G, Phase-1, Commercial Area DHA, Lahore-Pakistan, Ph: (92-42) 35721820-35721821 E-mail: inguiry@snampharma.com







CalMox

Let's Care Animals!

COMPOSITION

Each 1000 gm contains: Amoxicillin as Trihydrate Clavulanic Acid as Potassium Clavulanate Bromhexine HCl

(As per innovator's Specifications)

INDICATIONS

- · Calamox Powder is an ideal combination of Amoxicillin and Calvenic acid.
- Amoxicillin is a broad spectrum antibiotic cover a wide range of Gram + and Gram bacteria. Including Streptococci, Staphylococci, Clostridia, E-coli, Salmonella and Pasteurella multocida.
- Amoxicillin works by interfering with the synthesis of peptidoglycan, a crucial component of bacterial cell wall. By inhibiting of the cell walls, weakens the structural integrity of bacteria, making them susceptible to the body immune defenses and eventually leading to the death of bacteria.
- Bacteria produce an enzyme beta-lactamase which work against the Amoxicillin, in the result the efficacy of the Amoxicillin reduce many times, results are compromised.
- Calvenic Acid present in the Calamox Powder is very important. Amoxicillin and Calvenic Acid have very strong synergetic properties. Amoxicillin make a bond with Calvenic Acid to form Amoxicilline-Calvenic acid.
- Calvenic acid inhibit the production of beta-lactamase enzyme by bacteria (Which reduce the amoxicillin activities) thus allow the Amoxicillin to work against bacteria at full efficacy.

DOSAGE & ADMINISTRATION

Prevention Treatment 1 gm per 4 liters of drinking water for 3-5 days. 1 gm per 2 liters of drinking water for 3-5 days.

CAUTION

Protect from light & moisture.

WATTER AND A DESCRIPTION OF A REAL PROPERTY AND A DESCRIPTION OF A REAL PROPERTY.

- After opening the jar. Immediately use the powder.
- Store below 25°C in a cool & dry place.
- This medicine should be used according to veterinary doctor advice.




160 mg 40 mg 5 mg



Nutritional Supplement ADEKSP Hydrosoluble oral solution







1 LITER





Sole agent for Pakintan



Nutritional Supplement

ADEKSP Hydrosoluble oral solution

COMPOSITION

| Each ML Contains | |
|------------------|---|
| Vitamin A | 5 |
| Vitamin D3 | 1 |
| Vitamin E | 2 |
| Vitamin K3 | 1 |

50,000.0 I.U 0,000.0 I.U 20.0 mg 0.0 mg

INDICATIONS

A vitaminosis

To increase organic defense, spermatogenesis and fecundity. Supportive treatment for all the stress, conditions e.g. vaccination, debeaking, disease stress, transportation, loading & unloading, humidity and temperature. Strengthen the musculo-skeletal system.

Prop-up the bird during and after attack of coccidiosis.

Treat all conditions related to dearth of vitamins.

FORTE OF ADEK SP

ADEK SP is Pakistan's 1st vitamin A,D,E & K product that is available in liquid state. Ready to use, gives you an instant, homogeneous and complete solubility. Despite of its liquid state, vitamins will neither deteriorate in water nor block the pipes of drinking system.

DOSAGE

1ml / 15liters of drinking water.

CATTLE

1.5ml / animal / day

SHEEP & GOAT

0.5ml / animal / day

PRESENTATION

1 liter




SOLE AGENT FOR PAKIETAN

G Phose 1, Cocommon Area DRA, Labore Photosa Pho 002-423 6572163-6-357721020 E-rola: terfolisenempharma.com Website: www.snampharma.com



COLBRO Solution Let's Care Animals!



Solution Each 100ml Contains Enrofloxacin 10gm Colistin Sulphate 5Miu Bromhexine HCI... 0.50%

Net weight: 1000grams



SNAM PHARMA 81-G. Phase 1: Commercial Area DHA. Lahore-Pakistan. Ph. (92-42) 36721820-35721821 E-mail: Inquery@isnampherma.com Webbaik: www.snampharma.com



ڈریپ کے ساتھ رجسٹر<mark>ڈ</mark> کاروبار کریں اعتماد کے ساتھ

COLBRO Solution Let's Care Animals!



COMPOSITION

Each 100 ml contains: Enrofloxacin Colistin Sulphate Bromhexine HCL

10 gm 5 MIU 0.50%

INDICATIONS

 Poultry
 Colibacillosis, Chronic Respiratory Diseases (CRD), Mycoplasmosis, infectious Coryza, Pasteurellosis, Salmonellosis, Staphylococci and Typhoid.
 Horse & Cattle
 Haemorrhagic Septicaemia, Pneumonia, Mastitis & Urethritis.



DOSAGE & ADMINISTRATION

- **Poultry** 1ml/2 litre of drinking water for 3 to 5 days.
- Cow & Buffalo 10ml/400kg body weight.
- Horse 9ml/350kg body weight.
- Sheep & Goat 1ml/40kg body weight.

PRECAUTIONS

- Protect from direct sunlight, heat and moisture.
- Store below 30C.
- Keep away from the reach of children.
- Use on Veterinary Doctor's advice.

WITHDRAWAL TIME

7 days before slaughter.





Nutritional Supplement A balanced Combination of vitamins & amino acids

Supplemented diet for all critical periods of all animal's life e.g. reproduction period, pregnancy, feed & housing change stress. A-Vitaminosis and disease stress.



LET'S CARE ANIMALS!



Sole agent for Pakistan



For veterinary use only

AQUAVITAMINO EURO

A balanced Combination of vitamins & amino acids

Supplemented diet for all critical periods of all animal's life e.g. reproduction period, pregnancy, feed & housing change stress. A-Vitaminosis and disease stress.

0

2 COMPOSITION

DRAP

APPROVED

Each 1000ml contains

| Vitamin A | 6.000.000 IU | Lysine | 14g |
|------------|--------------|------------|-------|
| Vitamin D3 | 2.000.000 IU | Hystidine | 10g |
| Vitamin E | 3.000 IU | Arginine | 5.5g |
| Vitamin B1 | 1g | Tryptophan | 0.25g |
| Vitamin B2 | 4g | 200 | |
| Vitamin B6 | 0.4q | DOSAGE | |

| Vitamin B12 | 10mg |
|------------------|-------|
| Vitamin K3 | 3g |
| Nicotinamide | 15g |
| Pantothenic acid | 8g |
| Aspartic acid | 18.1g |
| Threonine | 6.1g |
| Serine | 8.5g |
| Glutamic acid | 14.4g |
| Proline | 5.5g |
| Glycine | 6.9g |
| Alanine | 12.3g |
| Cystine | 1.8g |
| Valine | 12.5g |
| Methionine | 1.5g |
| Isoleucine | 1.3g |
| Leucine | 17.5g |
| Phenylalanine | 8.7g |
| Tyrosine | 3.6g |
| | |

| Poultry | 1ml / 4 liter |
|----------------|---------------------|
| Rabbits | 2 ml / liter |
| Sheeps & goats | 1-3ml / liter |
| Calves & foals | 5 ml / animal / day |
| Adult animals | 10ml / animal /day |

PRECAUTIONS

- Mix in drinking water or milk. use at least for 7 days. prepare & use fresh solution daily.
- Keep in cool place.
- Protect from sun light.

AVAILABLE PACKAGING

1 Liter Bottle 5 Liter Can









Water Soluble Powder

Let's Care Animals!





SNAM PHARMA 81-3, Plase 1, Cammercial Area DHA, Latore Pukistan. Pr: (92-42) 36721820-35721821 E-mail: Argung@ananghama.com Website: www.snamphama.com





Water Soluble Powder

Let's Care Animals!

COMPOSITION

Each gram contains: Doxycycline Hyclate Tylosin as Tartrate Colistin sulphate Bromhexine HCI

200 mg 100 mg 25 mg 5 mg

(As per innovator's Specifications)

INDICATIONS

D-Dox 20 (Powder) is a broad-spectrum antibiotic effective against Prophylaxis and treatment of chronic respiratory disease (CRD) and CCRD. Salmonelosis, Mycoplasmosis. Fowl cholera. Collacillosis and Gastro intestinal diseases. It also acts against Clostridium. Brucella, Streptococcus and Actiniomysis.



DOSAGE

1 gm per 2 liters of drinking water for 3-5 days.

CAUTION

- Store in a cool and dry place at 25°C.
- Close jar tightly after use.
- Protect from heat, light and moisture.
- Keep out of reach of children
- Consult a veterinarian before use.
- Wash hands after use

STALL Commercial Area DHA, Lahoro Pakistan Ph: (52-42) 56721820-35721821 E-mail: Ingeny@onanyhema.com Website: www.snampharma.com



Nutritional Supplement

DRAP

APPROVED

E-Se Plus Vit-E & selenium are potent immune stimulant



LET'S CARE ANIMALS!







For veterinary use only

Vit-E & selenium are potent immune stimulant



Each 1ml contains

Alpha-tocopherol acetate Sodium selenite

120.0 mg 2.2 mg



- Any deficiency of Vit-E & Selenium in poultry as well as cattle.
- Immuno-suppression.

INDICATIONS

- Low fertility & hatchability in parent stocks.
- In case of muscular dystrophy, white muscle disease.
- 😫 Hepatitis & arthritis in cattle & goats.



Poultry

1ml / 10 liters of drinking water for 5 days. **Cattle, Goats, Horses, & Camels** 5ml / day for 3 days.

PRESENTATION

1 liter bottle 5 liter Can





SOLE AGENT FOR PAKISTAN





MAXICOL

Solution

Let's Care Animals!

Solution

Thiamphenicol 250mg

Net weight: 1000ml



SNAM PHARMA 81-G. Prese 1, Cammercial Area DHA, Lanore Pakisan. Ph: (92-42) 36721820-36721821 E-met: Ingeny@snamphama.com Wholin: www.snampharma.com



ڈریپ کے ساتھ رجسٹر<mark>ڈ</mark> کاروبار کریں اعتماد کے ساتھ

MAXICOL Solution



Let's Care Animals!

COMPOSITION

Each gram contains: Thiamphenicol

250 mg

(As per innovator's Specifications)

Maxicol Solution Contains Thiamphenicol which is an antimicrobial formulation intended for the treatment of infectious diseases in cattle and poultry.

It is the methyl-sulfonyl analog of chloramphenicol and has a similar spectrum of activity, but is 2.5 to 5 times as potent. Its main advantage over chloramphenicol is that it has never been associated with aplastic anemia.

Maxicol Solution has some additional advantages such as the broad-based spectrum of activity, non-toxicity with cost-effectiveness when compared with other products.

INDICATIONS

- Respiratory and intestinal tract infections
- Chronic respiratory diseases
- Fowl Coryza
- Fowl cholera
- Rickettsiae spp, Chlamydia spp, Mycoplasma spp, Pasteurella spp, Salmonella spp, Ornithobacterium soo, Clostridium perfringens, E. coli spp, Haemophilus paragallinarum spp.

DOSAGE & ADMINISTRATION

- Presentation
- Oral solution in drinking water
- Animal species
- Poultry
- Route of administration
- Dosage

Oral Prevention: 80 ml in 100 litres of water Treatment: 125 ml in 100 litres of water



(92:42) 35721820-35721821 E-meit: inguny@snanuhama.com



Nutritional Supplement HEPAJETISP

Potent Hepatic Stimulant



COMPOSITION

Each 100ml contains

| Betaine glucouronate | 3.750 g |
|-----------------------------|----------|
| diethanolamine glucouronate | 1.000 g |
| Nicotinamide | 0.200 g |
| Sorbitol | 10.000 g |
| Ascorbic acid | 1.000 g |



INDICATIONS

- Endogenous and exogenous intoxication
- Acute and chronic liver diseases
- Hepatic insufficiency
- Food intoxication



THERAPEUTIC EFFECTS OF COMPONENTS

Betaine: lipotropic activity, detoxifier, a practically atoxic methyl donor.
Diethanolamine: Reduces cholestrol level in serum and hepatic lipids.
Nicotinamide: Acts in redoxreactions of carbohydrates and lipids oxidation. and synthesis of fatty acids, synthesis and degradation of amino acids, steroids synthesis.
Ascorbic acid: Antistress, antioxidant, neutralizes, the free radicals generated during detoxification in liver.

ADMINISTRATION Orally into the drinking water DOSAGE Iml / 2liter drinking water PRESENTATION 1 liter bottle 5 liter Can







Nutritional Supplement

HEPAJ ETISP Potent Hepatic Stimulant



LET'S CARE ANIMALS!







VITA C SP hydrosoluble oral solution

Collegen is found in fibrous tissues of body e.g. Skin, ligaments, tendons, bones, blood vessels and CET. It makes 25-30% of total proteins contents of body.

REFERENCES

- Scott's nutrition of the chicken by S. lesson & J.D. Summers.
- http://www.medicainewisioday.com/ritoles/262831_php/bharacteristics.
 Lodish H, Berk A, Zipursky SL, et al. "Measurater Call Biolexex. Ath additional control of the control of
- 3 Lodish H, Berk A, Zipursky SL, et al. "Methodukar Cast Biology. 4th addison". 4th edition. New York: W H, Freeman: 2000. Section 22.3, collagen: The Fibrous proteins of the Natrix.
- 4 Gelse K Pochi E, Aigner T. "Collegens—structure, function, and blosynthesis".
- "UW-MADISON SCIENTISTS CREATE SUPERSTRIONG COLLAGEN" 1/12/10. Board of regents of the University of Wisconsin System, Accessed December 3rd 2013.



VITA C SP hydrosoluble oral solution

COMPOSITION

Each 1ml contains Vitamin C

NDICATIONS

Bur 001

- Water soluble vitamin supplement that readily soluble in water and since texture endowing the second state.
- gives instant supply of vitamin C to the bird. Vita C SP given to bird in drinking water.
- Vita C SP contains Vitamin C which is well known "Anti stress factor
- Vita C SP encounters stress due to high production, environmental discomfort, health and maragemental stress.
- Heat stress leads to general distress, low feed intake, high FCR carcass fat contents and decreased egg size.
- Vita C SP is vital in formation of bones and muscles. Vita C SP provides Vitamin C supplementation for proper bone
- formation and muscles development. Vitamin C deficiency leads to deformed bones irregular muscles
- growth, which adjects the production performance of layer and broiler

ITAC SP 14

- Vita C SP provides ready to use Vitamin C to body.
- Vita C SP fulfills Vitamin C deficiency to avoid illness, stress on bird and improper growth of muscles and bones.

ADMINISTRATION

Poultry: 1 ml in 4 liters drinking water for 3-5 days Calves, Sheep, Goat :1 ml/20 kg body weight for 3-5 days. Cattle : 1 ml/40 kg body weight for 3-5 days

PRECAUTIONS

Time A EUzisi

and designed

Pyepare fresh solution at least after 24 hrs.

IMPORTANT NOTE

Vits C SP is product that is not limited to be used in hot and humid environment. But it is needed throughout the year for meintenance of health, combat stress and essended in production from broiler and layers

R SNAM PHARMO

Nutritional Supplement VITA C SP hydrosoluble oral solution